Key 2012 117 Ways to Pass the Earth Science Midterm

Prologue

- 1. The #1 Tested Item EVERY Year is reading graphs and charts (3 questions per year) Know it!
- 2. Inferences are conclusions or predictions based on observations
- 3. Instruments extend our senses to make observations
- 4. Know Scientific Notation 345,876 --> 3.45 x 105
- 5. Use Percent Error Formula on Front of ESRT's and the Rate of Change Formula
- 6. Cyclic Relationships repeat and are predictable (ex Moon Phases, Tides, Seasons)
- 77. Practice Reading Graphs and Charts Ldirect Lindirect Lov
 - 8. As Temperature Increases, Density Decreases
- → 9. As Temperature Increases, Volume Increases
 - 10. As Pressure Increases, Density Increases
 - 11. The same objects have the same density NO MATTER WHAT SIZE
 - 12. Water is most dense at 4°C in the liquid form
 - 13. Everything else is most dense in the solid form
 - 14. For objects with densities less than 1, the lower it is the higher it floats
 - 15. The higher the density over 1, the faster it sinks
 - 16. Use the Density Formula in the ESRT's
 - 17. As population increases, pollution increases, water quality decreases
 - 18. Earth Science consists of Astronomy, Meteorology, and Geology

Planet Earth

- 19. The true shape of the earth is an oblate spheroid
- 20. Bulging Equator, Flattened at the poles
 - 21. Look like a perfect sphere from space, only SLIGHTY oblate
 - 22. The altitude of Polaris equals your latitude—Pittsford's latitude is 43° North
 - 23. Always, Always look North to see Polaris, hence North star
 - 24. Polaris is only special because it is in line with the earth axis of rotation
 - 25. Lithosphere is the solid land part of the earth
- 26. Hydrosphere is the liquid water part of the earth
 - 27. Atmosphere is the gas portion, broken down into 4 layers
- →28. Use the ESRT chart for questions on Atmospheric properties p11 and p14
 - 29. Latitude lines run horizontal across like the Equator, labels are degrees North or South
 - 30. Longitude lines run up and down, labels are East and West of the Prime Meridian
 - 31. Astrolab is used to measure the altitude of a star above the horizon
 - 32. Pointer stars in the big dipper point to Polaris
- 33. Time zones are separated by 15° degrees of longitude based on Earth's Rate of Rotation
 - 34. Going to the west (California) time gets earlier, going east it gets later (London)
 - 35. Isoline is a line connecting points of equal value (Isobars pressure, Isotherm temperature)
 - 36. Contour lines connect points of equal elevation above sea level
 - 37. Contour Interval amount between adjacent contour lines, Ocean is sea level 0'
- 38. Study your ESRT.
 39. Lines close together --> steep gradient, water goes downhill and opposite bends in contour lines
- 40. Use Gradient Formula in ESRT, use contour interval to determine highest elevation of hills
- → 41. Do a practice Profile, which is a side view of a topographic cross section, draw Isolines too! Rocks, Minerals, and Natural Resources

 - 42. Minerals are solid, naturally occurring, inorganic (not living) substances.
 - 43. There are over 2000 known minerals but only 12 are commonly found
 - 44. Most rocks are made from a few of those 12 minerals I just mentioned
 - Tetrahydran (45) Oxygen and Silicon are the two most abundant which form a pyramid shape.
 - 46. Almost all rocks contain minerals
 - 47. Mineral properties hardness, cleavage, & crystal shape -based on the internal arrangement of atoms.
 - 48. Color is not a good way to ID a mineral b/c some minerals come in lots of colors like quartz



1 Dev. Tensity MASS

49. Streak is the powered form of a mineral, as found by using a streak plate 50. Cleavage is flat sides on a mineral, minerals break along planes of weak bonding

51. The origin of the rock determines if it is a SED rock, IGN rock or MET rock

52. Use the Rock Cycle Chart in the ESRT to see how each of the 3 rock types form

53. Texture or crystal size in Igneous rocks is determined based on rate of cooling

54. Fast cooling --> glassy or fine texture where slow cooling --> coarse crystals (big)

55. USE ESRT Charts for all rocks, if you don't understand them, you better ask somebody!

56. Clastic Sedimentary rocks are classified based on grain size (shale vs. sandstone)

57. Sedimentary Rocks form 3 ways, Compaction & Cement, Organically, Chemically

58. Chemically formed Sed rocks form from evaporating seawater, leaves behind evaporates

59. Sedimentary Rocks are the only ones with fossils in them

60. Key words for Metamorphic rocks are; foliation, re-crystallize, distorted structure, INC density

61. Nonrenewable resources include fossil fuels (coal, petroleum, natural gas) and metals

Plate Tectonics and Earthquakes

62. Earthquake is the sudden movement along a fault, usually happens at plate boundaries

63. P waves are fastest waves, can go through anything, they go faster through more dense layers

64. S waves are slowest, move in S motion, cannot go through liquids (outer core)

- 65. We infer the outer core is liquid and the inner core is solid based on seismic data
- 66. One seismic station can determine the distance to the epicenter -longer time lag = further away

67. A minimum of 3 are needed to determine the epicenter location (Big circles = far distance)

68. USE ESRT to determine travel times and earthquake origin times (one question per year)

69. Ocean Crust - High Density (in ESRT), Young Age, Thin, made of Basalt. Continental Crust -Low Density, Old Age, Thick (think Mt. Everest) made of Granite

71. The core of the earth is thought to be Iron and Nickel based on Meteorite data

72. Most Earthquakes and Volcanoes are found together along Plate Tectonic Boundaries

73. Tsunamis (tidal wave) caused by underwater earthquake, better run fast!

74. Proof of Continental Drift - Continents fit together, fossils/rocks/mtns. all match up along coasts

75. Divergent Boundary (Ridge, Spreading Center) where magma come up through the sea floor, new ocean floor is created at mid ocean ridges. Age of rock increases with distance from the ridge

76. Convergent Boundary (Subduction zone) where two plates collide, the more dense plate will go beneath the continental plate. Two continents collide = Mt. Everest (Himalayas)

77. Transform Boundary - Plates slide past each other - San Andreas Fault

78. Plates move due to Convection Currents in the Mantle

79. Hot spot - mantle plume through the middle of a plate, like Hawaii or Iceland

80. Use Plate Tectonic Map in the ESRT - Know Examples of Boundaries (one every year)

Weathering, Erosion, Deposition, and Landscapes

81. Physical Weathering - breaking down of a rock into smaller pieces

82. Best example of Physical Weathering is frost action (climate = temperature changes and wet)

83. Collisions of rock particles carried by a stream is called abrasion

84. Chemical Weathering - changes the chemical composition of the rock, best example is rust

85. Climate for chemical weathering is Warm and Wet (Humid)

86. Soil - mixture of weathered rock and organic remains that covers bedrock

87. As organic material increases (bugs) soil thickness increases, Organics are on top layer of soil

88. Running water is the #1 form of erosion on earth (erosion is the moving of sediments)

89. The velocity of a stream -?- as the slope -?-. As the (amt of water) discharge inc, velocity inc

90. Water flows fastest in the center of a river also on the outside parts of curves

91. Rocks become smaller and rounder in a stream due to abrasion (in V-shape valleys)

92. Smallest particles (clay) carried by solution and suspension

93. Glaciers carve U-shaped valley's, deposit Unsorted sediments, scratch rocks, leave numerous lakes, deposit erratics (large boulders), glaciers advance from the north, formed Long Island, left sand and gravel, flows like a river, need cold global temps +111, MOTAINE

94. Gravity is the force responsible for the agents of erosion

ROCK ations

95. Deposition -an agent of erosion slows down and can no longer transport sediments

96. As roundness -?-, rate of Dep -?-, as density -?-, rate of Dep -?-, as size -?-, rate of Dep -?-

97. Large particles have a high settling rate but a low settling time

98. Know your vertical and horizontal sorting!

99. Longshore drift moves sand along the beach in the direction of the ocean current

*100. Use the Stream Velocity vs Particle Size graph in ESRT

100 Jetties prevent sand from moving along the beach

101 A landscape is determined by the climate, bedrock, and geologic structures

102 Mountains have high relief, igneous or metamorphic rock, built along plate boundaries

103 Plateau's are medium elevation horizontal sedimentary rock, with river carved V-Shaped valleys

104 Plains are flat, low relief, sedimentary rock, and have meandering streams


105 Arid Climates-dry, steep slopes, -?- erosion; Humid climates rounded hills, wet, -?-erosion

106 Use Landscape Region and NYS Map in ESRT (1-2 Questions per year on this skill)

107 Radial pattern rivers for Mtns., Random pattern for plains, plateaus rivers flow in valleys


density size

Syrlace they work theis weater The following four samples are composed of the same material. The only difference is the size and the shape of each of the samples. Use the following pictures to answer questions 1-6.



Use the following picture to answer questions 7-10.

Area Map




- 7. Connect isolines for 60 ppm, 70 ppm and 80 ppm.
- 8. If this were a gasoline leak, what corner of the service station is the tank located?
- 9. What type of soil would the gasoline infiltrate the quickest in?
- Determine the gradient from M to Z.

Equation $\frac{86-46}{70} \frac{40}{70} 57\%$

Substitute and answer

% DW! = - Q-9 x100%.




Use the map to the left to answer questions 11-13.

- 11. Use the latitude and longitude to determine what continent the map is from?
- 12. What is the approximate latitude and longitude of Lake Natron? 3°5 36°E
- 13. What is the approximate distance between Lake Natron and Lake Rukwa?

$$\frac{\text{Miles}}{\text{Km}} \frac{450^{\circ}}{\text{800}}$$

the gradient



Use the map to the left to answer questions 14-21.

- 14. What is the elevation of C? 170
- 15. Highest elevation of Jay Peak is 190
- 16. Possible elevation of J?
- 17. Approximate latitude of point F. 42016 N
- 18. Approximate longitude of point H.4° 32 v
- 19. Latitude and longitude of point K. H2°18'N T4°35'W
- 20. What other point has the same elevation as point C?
- 21. Determine the gradient form point A to point G. Show all work including the formula.

22. Fill in the following sedimentary rock chart using the following words:

Rock Salt

Conglomerate

Limestone

Sandstone

TABLE OF COMMON SEDIMENTARY ROCKS

	NAME	PARTICLE SIZE	
P. Commence	- Sandledoka	COARSE (particles sasity visible)	
FROM FRAGMENTAL MATERIAL	Sandstone	MEDIUM (separate particles visible)	
	SHALE	FINE (separate particles not visible)	
	NAME	MINERAL COMPOSITION	
ROCKS FORMED FROM CHEMICAL PRECIPITATES	Limestone	CALCITE (separate particles not visible)	
	CHERT	QUARTZ (separate particles not visible)	
	RockSalt	SALT (halite; may have large crystals)	

23. Use the following chart to name the specific rock.

	Coarse Grained		Fine Grained	
	Rock A	Rock B	Rock C	Rock D
Mineral	Percent of Rock	Percent of Rock	Percent of Rock	Percent of Rock
Quartz	40	0	0	0
Pyroxene	0	25	0	70
Plagioclase feldspar	20	0	60	10
Potassium feldspar	20	0	0	0
Blotite	10	0	17	0
Homblende	10	0	23	3
Olivine	0	75	0	17

a. Rock A could be grante

b. Rock B could be

c. Rock C could be Rhyolite

d. Rock D could be ___ basalt

24. Fill in the chart using the following words: Some words may be used twice.

Intrusive

Extrusive

Basalt

Gabbro

Pyroxene and Feldspar

Quartz and Feldspar


Table II: Igneous Rocks

Rock	Description	Minerals in Rock	Method of Formation
Granite	Light colored, gray to pink	个	Intrusive
Pumice	Light gray	Feldspar and quartz	EX
gabbaro	Dark colored, gray to black, coarse grained	Feldspar and pyroxene	Intrusive
basalt	Dark colored, fine grained .	11 11	Extrusive
Obsidian (volcanic glass)	Dark colored	Feldspar and quartz	EX

Use the following pictures to answer questions 25-31.

32. Specifically name a boundary that location 3 could be.33. Specifically name a boundary that location 4 could be.34. Specifically name a boundary that location 2 could be.


35. On location 3 label the youngest bedrock.



36. How does oceanic crust compare to continental crust in thickness, age and composition.


thick less dense

Use the following picture to answer questions 37-40.




- 37. Which letter represents the youngest ocean floor? ______
- 38. What is located at position A? TYENCH
- 39. What is located at position B? MTS.
- 40. What causes the plates to move? _______ Convertion Cells

Use the following seismographs to answer questions 41-45.




- 41. Which station is closest to the epicenter?
- 42. Which station is the farthest from the epicenter? _____Explain
- 43. Exactly what time did the P-wave arrive at station Z? _______
- 45. Determine the distance between station Z and the epicenter. 3 hin

Use the map to the left to answer questions 46-50.



- 46. Connect the isoseismal lines for 3, 5 and 7.
- 47. Longitude of Bakersfield is ___ | Q * W
- 48. Latitude of San Diego is 3 3 30 50
- 49. Where is the epicenter of this earthquake located? Pasaden a
- 50. How did you know this?


Use the map of Hawaii to answer questions 51-52.




52. Determine the rate of crustal movement between Oahu and Kilauea. Show all work including formula. The answer will be in km/millions of years.

million 150 Kiloneaus

Use the maps to answer questions 53-54.




Cross Section



- 53. On the diagram to the left, draw an arrow on the Juan de Fuca plate to show its movement.
- 54. Explain why San Francisco is so susceptible to earthquakes.

Use the following map to answer questions 55-57.



- 54. Approximately how many years ago was most of New York State covered with glacial ice? 11 000 1200
- 55. What is the general direction of ice movement?
- 56. Describe what the soil and the bedrock would look like after a glacier passes over the area.

unsofted

moraine - unsorted

57. Calculate the rate of change from point A to B? Answer will be km/year

Formula:

Substitute:

Answer: